

# List of Algorithms

## **2D borders, boundaries, or frontiers**

- border tracing, 142
- boundary approximation (“marching squares”), 146
- frontier tracing (frontier grid, incidence grid), 187

## **3D boundaries or frontiers**

- frontier tracing (FILL algorithm), 191
- frontier tracing (Artzy-Herman algorithm), 300-301
- boundary approximation (marching cubes), 301-302

## **adjacency and connectedness**

- FILL for component labeling (adjacency grid), 53
- Rosenfeld-Pfaltz component labeling, 54
- local adjacency (incidence grid), 182
- ordered adjacency procedure (multilevel pictures), 183
- switch adjacency (multilevel pictures), 39, 249

## **2D convex hulls**

- Graham scan (set of points), 25
- Sklansky algorithm (“visible” simple polygon), 430
- simple polygon, 429
- set of grid points, 428

**minimum-length polygons**

- 2D MLP calculation, 344-345
- approximating-sausage algorithm, 351
- 3D MLP approximation (rubber-band algorithm), 385-390

**2D curve representation and analysis**

- directional encoding, 71
- vertex chain code, 72-75
- local and global length estimation, 302-304
- tangent-based length estimation, 346, 352-353
- corner detection, 363-364
- curvature estimation, 364-366

**3D curve analysis**

- local and global length estimation, 409-413
- estimation of curvature and torsion, 413

**diagrams**

- 2D Delaunay (Voronoi) diagrams, 440-443
- watersheds, 449-450

**distance**

- Hausdorff metric, 86
- two-pass distance transform (chamfer metric), 94-95
- Danielsson distance transform (Euclidean metric), 109

**DSS generation and recognition**

- Bresenham's algorithm (DSS generation), 63
- 8-DSS based on syntactic characterization (**CHW1982a**), 329-331
- 4-DSS for frontier in incidence grid (**K1990**), 334-336
- 3D DSS recognition, 379
- 8-DSS based on arithmetic geometry (**DR1995**), 378

**DPS recognition**

- incremental algorithm (**KS2001**), 402-404
- convex-hull based algorithm, 407

**graphs**

- FILL (connected components), 120
- Dijkstra algorithm (shortest path), 128
- border cycle in an oriented adjacency graph, 142

**region analysis (2D)**

- medial axis transform, 111-112, 495-496
- discrete integration (area of isothetic polygon), 279-280
- circumscribing rectangle of smallest area, 428-429

**region analysis (3D)**

- local surface area estimation, 414
- surface area estimation based on normal integration, 418-419
- surface area estimation based on DPS recognition, 421
- mean curvature estimation (**HK2003a**), 423-424

**geometric transformations**

- value interpolation, 466-477
- magnification, 58, 468, 470-471
- demagnification, 471, 473-474

**morphologic operations**

- dilation, 481-483
- erosion, 483-485
- opening and closing, 486
- hit-and-miss transforms, 485-486
- fusing of clusters, 492-493

4

- detection of (intrinsically) elongated object parts, 493-494
- distance transforms and medial axes, 495-496

**deformations**

- shrinking, 506-509
- thinning (skeletonization), 509-513
- deformation of curves, 532-534
- thinning of multivalued pictures, 533